

Professional
Equipments

MODENA
PROFESSIONAL



Professional Cooling Highlights



Smart Digital Control

Program pendinginan yang mampu menghasilkan dingin yang optimal.



Removable Compressor

Dilengkapi ruang penempatan kompresor yang dapat digeser untuk memudahkan proses perawatan kompresor secara berkala.



Self-Closing Door

Pintu dapat menutup secara otomatis untuk mencegah udara dingin terbuang keluar dalam waktu yang lama.



Automatic Defrosting

Dilengkapi sistem pencairan es secara otomatis untuk mencegah penumpukan bunga es tanpa harus melakukan proses pembersihan secara manual.




Frost Free Technology

Proses defrost bekerja secara otomatis menjadikan ruang showcase cooler bebas dari bunga es dan seto pendinginan lebih optimal dengan suhu stabil.



Fan Cooling System

Sistem kipas pendingin menghembuskan udara dingin secara merata ke semua bagian kabinet seto mencegah pembentukan bunga es




Inside Evaporator With Fan Cooling

Evaporator di dalam ruang pendingin yang disertai kipas untuk penyebaran udara dingin ke seluruh ruangan secara maksimal dan merata.



Digital Temperature Display

Suhu di dalam showcase cooler dapat langsung terpantau pada layar panel untuk kemudahan dalam pengaturan sesuai dengan kebutuhan.




Dynamic Freezing Zone

Suhu ruang pembeku bisa diatur secara dinamis kedalam 4 zona pembekuan : Refrigerator, Ice Temperature, Snow Freeze, Normal Freeze.



Active Deodorizer

Deodorizer dengan bahan aktif yang mampu menyerap bau dan membuat makanan atau minuman yang disimpan tetap segar.



LED Lamp

Lampu LED untuk menghasilkan penerangan optimal yang dapat menyala secara otomatis saat pintu dibuka dan padam ketika tertutup.



Polyurethane Insulation

Lapisan insulasi berkualitas pada unit mampu menjaga suhu dingin dalam ruang freezer senantiasa stabil serta meminimalisir bercampur dengan suhu dari luar.

Professional Cooking Highlights



Gas Nozzle Alternative

Tambahan extra nozzle memungkinkan pilihan gas menggunakan LPG ataupun LNG.



Full Stainless Steel

Dengan bermaterialkan stainless steel di seluruh permukaan unit menciptakan tampilan lebih mewah serta kuat dan tahan lama dalam pemakaian.



Adjustable Height

Ditunjang fungsi pengaturan ketinggian unit membuat lebih mudah dioperasikan.



Adjustable Temperature

Dilengkapi sistem pengaturan panas kompor yang dapat disesuaikan dengan kebutuhan.



Wind-Proof Design

Mempertahankan output api terlepas dari gangguan angin.



Pilot Flame

Api berskala kecil akan selalu menyala agar kompor lebih mudah dihidupkan.



Direct-Fire Cooking

Sistem penghangatan langsung ini akan membuat proses memasak nasi lebih cepat.



Aluminum Die Cast Burner & Inner Pot

Burner dan pot bagian dalam terbuat dari bahan aluminium yang kuat dan tahan lama, serta juga mudah dibersihkan.

Showcase Cooler



SC 3157

- Frost Free Technology
- Smart Digital Control
- Fan Cooling System
- Low-E Glass
- Capacity : 1560 L
- Power : 850 W
- 1560 x 725 x 2125 mm



SC 2127

- Frost Free Technology
- Smart Digital Control
- Fan Cooling System
- Low-E Glass
- Capacity : 1200 L
- Power : 650 W
- 1200 x 725 x 2115 mm



SC 2201 L

- Frost Free Technology
- Fan Cooling System
- Adjustable Thermostat
- Hot Air Blowing
- Capacity : 1200 L
- Power : 750 W
- 1330 X 720 X 2020 mm



SC 2920

- Frost Free Technology
- Fan Cooling System
- Digital Control Panel
- Hot Air Blowing
- Capacity : 910 L
- Power : 480 W
- 1250 X 680 X 2080 mm



SC 2801 L

- Frost Free Technology
- Fan Cooling System
- Adjustable Thermostat
- Hot Air Blowing
- Capacity : 800 L
- Power : 750 W
- 1000 X 720 X 2020 mm



SC 2691 L

- Frost Free Technology
- Fan Cooling System
- Adjustable Thermostat
- Hot Air Blowing
- Capacity : 690 L
- Power : 450 W
- 1120 X 585 X 1900 mm



SC 1303

- Inside Evaporator With Fan Cooling
- Adjustable Thermostat
- Hot Air Blowing
- Capacity : 300 L
- Power : 225 W
- 615 X 600 X 1795 mm



SC 1345

- Inside Evaporator With Fan Cooling
- Adjustable Thermostat
- Aluminum Inner Liner
- Hot Air Blowing
- Capacity : 340 L
- Power : 210 W
- 595 X 520 X 1700 mm



SC 1203

- Inside Evaporator With Fan Cooling
- Adjustable Thermostat
- Hot Air Blowing
- Capacity : 200 L
- Power : 200 W
- 540 X 520 X 1570 mm



SC 1235

- Inside Evaporator With Fan Cooling
- Adjustable Thermostat
- Aluminum Inner Liner
- Hot Air Blowing
- Capacity : 230 L
- Power : 160 W
- 530 X 520 X 1550 mm

Chest Freezer, Sliding Glass Freezer & Dual Chamber Freezer



- MD 130 W**
- Power Duo (Cooling System)
 - 2 Heavy-duty Compressor
 - Adjustable Thermostat
 - Capacity : 1300 L
 - Power : 536 W
 - 2650 x 960 x 908 mm



- MD 0956 W**
- Power Duo (Cooling System)
 - Eco Energy System
 - Adjustable Thermostat
 - Capacity : 980 L
 - Power : 418 W
 - 1975 x 1040 x 949 mm



- MD 75**
- Power Duo (Cooling System)
 - 2 Heavy-duty Compressor
 - Digital Temp. Display
 - Capacity : 750 L
 - Power : 360 W
 - 1950 x 870 x 830 mm



- MD 65 W**
- Power Duo (Cooling System)
 - Heavy-duty Compressor
 - Adjustable Thermostat
 - Capacity : 650 L
 - Power : 320 W
 - 1930 x 670 x 825 mm



- MD 0516 W**
- Power Duo (Cooling System)
 - Eco Energy System
 - Adjustable Thermostat
 - Capacity : 510 L
 - Power : 226 W
 - 1640 X 760 X 875 mm



- MD 37 W**
- Power Duo (Cooling System)
 - Heavy-duty Compressor
 - Adjustable Thermostat
 - Capacity : 370 L
 - Power : 200 W
 - 1260 x 670 x 825 mm



- MD 0316 W**
- Power Duo (Cooling System)
 - Eco Energy System
 - Adjustable Thermostat
 - Capacity : 310 L
 - Power : 118 W
 - 1120 x 700 x 850 mm



- MC 0526**
- Eco Energy System
 - Analog Thermometer
 - Adjustable Thermostat
 - Capacity : 516 L
 - Power : 278 W
 - 1634 x 650 x 900 mm



- MC 0356**
- Eco Energy System
 - Analog Thermometer
 - Adjustable Thermostat
 - Capacity : 336 L
 - Power : 218 W
 - 1034 x 650 x 900 mm



- MC 0335**
- Eco Energy System
 - Analog Thermometer
 - Adjustable Thermostat
 - Capacity : 336 L
 - Power : 218 W
 - 1034 x 650 x 900 mm



- MC 0260 W**
- Eco Energy System
 - Analog Thermometer
 - Adjustable Thermostat
 - Capacity : 260 L
 - Power : 148 W
 - 834 x 650 x 900 mm



- MC 0160 W**
- Eco Energy System
 - Analog Thermometer
 - Adjustable Thermostat
 - Capacity : 160 L
 - Power : 118 W
 - 610 x 653 x 900 mm

Blast Chiller & Blast Freezer, Upright Freezer, Upright Chiller, Counter Freezer & Counter Chiller



- BZ 1130 DASS**
- Ventilated Cooling System
 - Full Body Stainless Steel 304
 - Dixell Digital Control
 - Capacity: 494 L
 - Pan Capacity: 13 pcs
 - Chilling capacity: 60 kg (70°C to 3°C in 90 min)
 - Freezing capacity: 38 kg (70°C to -18°C in 240 min)
 - Eco-Friendly R290 Refrigerant
 - Power Input: 1200 W
 - 800 x 800 x 1763 mm



- BZ 1100 DASS**
- Ventilated Cooling System
 - Full Body Stainless Steel 304
 - Dixell Digital Control
 - Capacity: 368 L
 - Pan Capacity: 10 pcs
 - Chilling capacity: 40 kg (70°C to 3°C in 90 min)
 - Freezing capacity: 28 kg (70°C to -18°C in 240 min)
 - Eco-Friendly R290 Refrigerant
 - Power Input: 980 W
 - 800 x 800 x 1515 mm



- BZ 1050 DASS**
- Ventilated Cooling System
 - Full Body Stainless Steel 304
 - Dixell Digital Control
 - Capacity: 170 L
 - Pan Capacity: 5 pcs
 - Chilling capacity: 20 kg (70°C to 3°C in 90 min)
 - Freezing capacity: 15 kg (70°C to -18°C in 240 min)
 - Eco-Friendly R290 Refrigerant
 - Power Input: 750 W
 - 800 x 800 x 930 mm



- UF 1460 DASS**
- Ventilated Cooling System
 - Inner Stainless Steel 304
 - Dixell Digital Control
 - Capacity: 910 L
 - No. of shelves: 6 pcs
 - Temperature: -22°C to -18°C
 - Eco-Friendly R290 Refrigerant
 - Power Input: 800 W
 - 1220 x 815 x 1950 mm



- UF 1230 DASS**
- Ventilated Cooling System
 - Inner Stainless Steel 304
 - Dixell Digital Control
 - Capacity: 420 L
 - No. of shelves: 3 pcs
 - Temperature: -22°C to -18°C
 - Eco-Friendly R290 Refrigerant
 - Power Input: 800 W
 - 630 x 815 x 1950 mm



- UC 1460 DASS**
- Ventilated Cooling System
 - Inner Stainless Steel 304
 - Dixell Digital Control
 - Capacity: 910 L
 - No. of shelves: 6 pcs
 - Temperature: -2°C to +8°C
 - Eco-Friendly R290 Refrigerant
 - Power Input: 490 W
 - 1220 x 815 x 1950 mm



- UC 1230 DASS**
- Ventilated Cooling System
 - Inner Stainless Steel 304
 - Dixell Digital Control
 - Capacity: 420 L
 - No. of shelves: 3 pcs
 - Temperature: -2°C to +8°C
 - Eco-Friendly R290 Refrigerant
 - Power Input: 360 W
 - 630 x 815 x 1950 mm



- CF 3181 DASS**
- Ventilated Cooling System
 - Inner Stainless Steel 304
 - Dixell Digital Control
 - Capacity: 420 L
 - No. of shelves: 3 pcs
 - Temperature: -22°C to -18°C
 - Eco-Friendly R290 Refrigerant
 - Power Input: 600 W
 - 1800 x 750 x 850 mm



- CF 2151 DASS**
- Ventilated Cooling System
 - Inner Stainless Steel 304
 - Dixell Digital Control
 - Capacity: 360 L
 - No. of shelves: 2 pcs
 - Temperature: -22°C to -18°C
 - Eco-Friendly R290 Refrigerant
 - Power Input: 600 W
 - 1800 x 750 x 850 mm



- CC 3181 DASS**
- Ventilated Cooling System
 - Inner Stainless Steel 304
 - Dixell Digital Control
 - Capacity: 420 L
 - No. of doors: 3 pcs
 - Temperature: -2°C to 10°C
 - Eco-Friendly R290 Refrigerant
 - Power Input: 490 W
 - 1800 x 750 x 850 mm



- CC 2151 DASS**
- Ventilated Cooling System
 - Inner Stainless Steel 304
 - Dixell Digital Control
 - Capacity: 360 L
 - No. of doors: 2 pcs
 - Temperature: -2°C to 10°C
 - Eco-Friendly R290 Refrigerant
 - Power Input: 470 W
 - 1500 x 750 x 850 mm



- CC 2121 DASS**
- Ventilated Cooling System
 - Inner Stainless Steel 304
 - Dixell Digital Control
 - Capacity: 310 L
 - No. of doors: 2 pcs
 - Temperature: -2°C to 10°C
 - Eco-Friendly R290 Refrigerant
 - Power Input: 450 W
 - 1200 x 750 x 850 mm

Burner Gas Top, Gas Grill Top, Gas Fry Top, Gas Barbeque Burner, Electric Fryer, Gas Fryer & Rice Cooker



- CT 6700 PASS**
- Heavy Duty Cast Iron
 - Oil Residue Pan
 - Food Grade Stainless Steel
 - Adjustable Feet
 - 6 Burners
 - Pressure : 2.8 kPa
 - Power : 2 x 7.5 kW
 - 900 X 770 X 360+60 mm



- CT 4700 PASS**
- Heavy Duty Cast Iron
 - Oil Residue Pan
 - Food Grade Stainless Steel
 - Adjustable Feet
 - 4 Burners
 - Pressure : 2.8 kPa
 - Power : 7.5 kW
 - 600 X 700 X 360+60 mm



- GT 2700 POSS**
- Power Source: Gas (LPG)
 - Stainless Steel
 - Oil Residue Pan
 - Heavy Duty Cast Iron
 - 2 Burners
 - Pressure : 2.8 kPa
 - Power : 2 x 7 kW
 - 609 X 666 X 412 mm



- BB 6500 QGBK**
- Power Source : Gas (LPG)
 - Quartz Glass Burner Cover
 - 6 Head
 - Power : 6 x 20,000 BTU
 - 800 X 425 X 200 mm



- BB 4500 QGBK**
- Power Source : Gas (LPG)
 - Quartz Glass Burner Cover
 - 4 Head
 - Power : 4 x 20,000 BTU
 - 575 X 425 X 200 mm



- BB 2500 QGBK**
- Power Source : Gas (LPG)
 - Quartz Glass Burner Cover
 - 2 Head
 - Power : 2 x 20,000 BTU
 - 340 X 425 X 200 mm



- FF 1050 ETSS**
- Electric Fryer
 - Food Grade Stainless Steel
 - Single Tank
 - Precise Temperature Control
 - Capacity : 5.5 L
 - Power : 2.5 kW
 - 285 X 460 X 300 mm
 - Voltage : 220V-50Hz



- FF 2110 ETSS**
- Electric Fryer
 - Food Grade Stainless Steel
 - Double Tank
 - Precise Temperature Control
 - Capacity : 2 x 5.5 L (11 L)
 - Power : 2 x 2.5 kW
 - 560 X 460 X 310 mm
 - Voltage : 220V-50Hz



- FF 1050 GNSS**
- Gas Fryer
 - Food Grade Stainless Steel
 - Single Tank
 - Low Pressure Gas Input
 - Capacity : 5.5 L
 - Power : 2.5 kW
 - 290 X 520 X 470 mm



- FF 2110 GNSS**
- Gas Fryer
 - Food Grade Stainless Steel
 - Double Tank
 - Low Pressure Gas Input
 - Capacity : 2 x 5.5 L (11 L)
 - Power : 10.4 kW
 - 550 X 520 X 470 mm



- CR 1001 G**
- Lpg Or Ng
 - 3D Heating & 3D Keep-Warm
 - Full Stainless Steel Body
 - Capacity : 10 L
 - Power : 7.8 Kw
 - 530 X 480 X 450 mm



Scan and Get

- Cashback
- Free Item
- Extended Warranty
- Special Gift

with → **Ciao! MODENA** App.

Download App on Google Play

Risk-Free Product Warranty

2 Tahun

Jaminan suku cadang dan servis

3 Tahun

Fan Evaporator (Showcase Cooler)

10 Tahun

Kompresor (Chest Freezer & Showcase Cooler)

Tidak Termasuk: Kerusakan kompresor karena evaporator tertusuk/tercongkel, Rak keranjang (basket) dan rumah kunci, Accesories berupa knob, tatakan pemanggang (iron grid), Kabinet/Body, handle, sink, hood, dan meja.

Note: Tidak dinyalakan dalam waktu 1x12 jam setelah pengiriman
Kebocoran gas yang disebabkan bukan oleh kesalahan struktur atau part dalam unit/produk adalah diluar tanggung jawab MODENA.
Syarat dan ketentuan berlaku.



Nationwide Coverage

Dengan lebih dari 60 sentra servis yang tersebar di Indonesia.



Free Installation

Gratis instalasi unit untuk kategori produk tertentu.



Accessories & Supports

Aksesoris premium yang lengkap dan bantuan tenaga ahli terpercaya.

Product Certification:

CB RoHS

ISO 9001:2015 Certification:



Hi, I'm MONA, ask me anything!



Visit Our Showroom

Jl. Prof. Dr. Satrio C4 No.13
Jakarta Selatan 12950

Jl. Suryo No. 22
Jakarta Selatan 12180

Jl. Kemang Selatan No.150
Jakarta Selatan 12560

Jl. Mayjen Sungkono No.113
Surabaya 60225

Follow Us On



MODENA Indonesia

modena.com